Package: valdrViz (via r-universe)

November 4, 2026

Title Visualise and Report 'VALD ForceDecks' Test Results

Version 1.0.2

Description Provides a 'shiny' dashboard and plotting utilities to explore and report 'VALD ForceDecks' testing data. Includes interactive modules for metric exploration, radar charts, longitudinal comparisons, quadrant plots, and athlete reports.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.3

Depends R (>= 4.1.0)

Suggests rmarkdown, knitr, testthat (>= 3.0.0)

Imports shiny, bslib, readr, dplyr, ggplot2, tibble, tidyr, zoo, DT, plotly, magrittr, lubridate, RColorBrewer, pagedown, webshot2, shinycssloaders, rlang

Config/testthat/edition 3

NeedsCompilation no

Author Kieran Harrison [aut, cre], VALD Support [ctb], VALD [cph] (Copyright holder)

Maintainer Kieran Harrison <k.harrison@vald.com>

Config/pak/sysreqs cmake make libicu-dev libuv1-dev libssl-dev libx11-dev zlib1g-dev

Repository https://kh-vald22.r-universe.dev

Date/Publication 2026-07-07 08:46:55 UTC

RemoteUrl https://github.com/cran/valdrViz

RemoteRef HEAD

RemoteSha 72c6e81674850d4029e5419ed077316398c21c93

Contents

%>% 2
forcedecks_performance_dashboard 2

Index **4**

%>% *Forward pipe operator*

Description

See 'magrittr::%>%' for details.

Usage

```
lhs %>% rhs
```

Arguments

lhs, rhs	Objects to pipe.

Value

The result of applying the right-hand side expression to the left-hand side value.

forcedecks_performance_dashboard *Run the VALD ForceDecks Performance Dashboard*

Description

Launches an interactive 'shiny' application for exploring your ForceDecks data.

Usage

```
forcedecks_performance_dashboard(
  data = NULL,
  launch.browser = TRUE,
  tabs = c("metric_explorer", "radar", "longit", "quadrant", "player_report")
)
```

Arguments

data	Optional ForceDecks data.frame. If NULL, the app will prompt for CSV files.
launch.browser	Logical. Launch app in a browser window.
tabs	Character vector of tabs to show.

Value

No return value, called for side effects (launches the 'shiny' application).

Examples

```
if (interactive()) {
    forcedecks_performance_dashboard()
}
```

Index

%>%, 2

forcedecks_performance_dashboard, 2